MATERIALS SCIENCE AND ENGINEERING A VOLUMES 181/182, MAY 15, 1994

Contents

Quasicrystals

Pseudo-gaps in crystalline and quasicrystalline alloys 717
E. Belin, Z. Dankhazi (Paris, France) and A. Sadoc (Orsay, France)

Electronic structure in a model of decagonal AlCuCo approximant 722
G. Trambly de Laissardière and T. Fujiwara (Tokyo, Japan)

Electronic transport of a two-dimensional Penrose lattice with random phason strain 726
S. Yamamoto and T. Fujiwara (Tokyo, Japan)

Electronic structure, magnetic properties and electron transport in $Al_{82.6-x}Mn_{17.4}Si_x (4 \leqslant x \leqslant 16)$ quasicrystals and approximant crystals 730
E. Belin (Paris, France), Y. Miyoshi, Y. Yamada (Nagoya, Japan), T. Ishikawa, T. Matsuda (Aichi, Japan) and U. Mizutani (Nagoya, Japan)

Magnetic properties of Al–Pd–Mn–B quasi-crystals with high magnetization 734
Y. Yokoyama, A. Inoue and T. Masumoto (Sendai, Japan)

Self-diffusion of manganese in Al–Pd–Mn icosahedral quasicrystals 738
H. Nakajima, J. Asai, K. Nonaka, I. Shinbo (Morioka, Japan), A. Tsai and T. Masumoto (Sendai, Japan)

Real space analysis of phason disorders in decagonal quasicrystals 742
K. Niizeki, H. Sugihara and A. Matsumura (Sendai, Japan)

Ammann bars and phason flips in quasicrystals 746
S. Knoll and R. Lück (Stuttgart, Germany)

Approaches to an icosahedral glass model for the icosahedral phase formed by transition from the amorphous state 750
A. P. Tsai, K. Hiraga, A. Inoue, T. Masumoto, K. Satoh, K. Tsuda and M. Tanaka (Sendai, Japan)

Rational approximants to the decagonal phase in Al–Mn–M (M = Ni, Cu, Zn) systems 754
A. Singh and S. Ranganathan (Bangalore, India)

Computer studies of a phase transition of icosahedral quasicrystals 758
T. Dotera (Tokyo, Japan)

Free energy analysis for the phase transition of quasi-crystals and phase diagram of the Al–Cu–Fe system 762
A. Waseda, K. Kimura and H. Ino (Tokyo, Japan)

Phase selection in undercooled melts of Al–Cu–Co and Al–Cu–Fe quasi-crystal-forming alloys 766
D. Holland-Moritz (Jülich, Germany), D. M. Herlach (Cologne, Germany), B. Grushko and K. Urban (Jülich, Germany)

Solution thermodynamic behaviour of quasicrystalline-structure-forming alloy systems. 771
A. Jha (Uxbridge, UK)

Plastic deformation of quasi-crystalline and crystalline phases in Al–Cu–Fe alloys 777
U. Köster, H. Liebertz and W. Liu (Dortmund, Germany)

The observation of mechanical relaxation in a quasicrystalline $Al_{75}Cu_{15}V_{10}$ alloy 781
H. Okumra, A.-P. Tsai, A. Inoue and T. Masumoto (Sendai, Japan)

Electronic structure and electron transport properties of Mg–Al–Pd quasicrystals and approximant crystals 785
K. Hashimoto, Y. Yamada (Nagoya, Japan), T. Yamauchi, T. Tanaka, T. Matsuda (Aichi, Japan) and U. Mizutani (Nagoya, Japan)

Study of the electronic structure and electron transport properties of Al–Cu–Ru quasicrystals 790
Y. Nakamura and U. Mizutani (Nagoya, Japan)

Electrical conductivity and Hall effect of Al–Cu–Ru and Al–Cu–Fe quasi-crystals 794
R. Tamura, A. Waseda, K. Kimura and H. Ino (Tokyo, Japan)

Nuclear magnetic resonance study of new strong magnetism in quasicrystalline Al–Pd–Mn–B alloys 798
T. Shinohara, Y. Yokoyama, M. Sato, A. Inoue and T. Masumoto (Sendai, Japan)

Difference between the magnetic properties of icosahedral and decagonal phases of AlPdMn quasicrystals 801
M. Satoh, Y. Hattori, N. Kataoka, K. Fukamichi (Sendai, Japan) and T. Goto (Tokyo, Japan)

Convergent-beam electron diffraction and electron microscope study on decagonal quasicrystals of Al–Cu–Co and Al–Co alloys 805
K. Saitoh, K. Tsuda, M. Tanaka, A. P. Tsai, A. Inoue and T. Masumoto (Sendai, Japan)

Icosahedral and decagonal quasicrystals in the Al–Pd–Mg system. 811
N. Koshikawa (Ibaraki, Japan), K. Edagawa and S. Takeuchi (Tokyo, Japan)

Decagonal quasicrystal in rapidly solidified Al–Pd–Mn alloys. 815
W. Sun and K. Hiraga (Sendai, Japan)

The amorphous to icosahedral phase transformation in mechanically alloyed $Al_{75}Cu_{15}V_{10}$ powder 819
N. Asahi, S. Noguchi and K. Matsumura (Chiba, Japan)

Structure transformations of the quasicrystalline phases in quaternary alloys 823
R. Perez, J. A. Juarez-Islas and L. Martinez (Cuernavaca, Mexico)

Studies of Mg–Al–Pd icosahedral quasicrystals and approximant crystals synthesized by the mechanical alloying process 828
T. Takeuchi, Y. Yamada, T. Fukunaga and U. Mizutani (Nagoya, Japan)

Atomic packing geometries and lattice properties of a model decagonal phase 833
T. Tei-Ohkawa, K. Edagawa, S. Takeuchi (Tokyo, Japan) and K. Masuda-Jindo (Yokohama, Japan)

Quasicrystalline phases in alloys of Al–Cu–Co–Fe obtained with a gravity chill-casting technique 837
R. Perez, J. A. Juarez-Islas and L. Martinez (Cuernavaca, Mexico)

Quasicrystallization characteristics of mechanically alloyed $Al_{65}Cu_{20}Fe_{15}$ powder 841
N. Asahi, T. Maki, S. Matsumoto and T. Sawai (Chiba, Japan)

High mechanical strengths of rapidly solidified $Al_{93}Mn_5Ce_1M_1$ (M ≡ transition metal) alloys containing nanoscale quasi-crystalline phase as a main component 845
H. M. Kimura, K. Sasamori (Sendai, Japan), M. Watanabe (Akita, Japan), A. Inoue and T. Masumoto (Sendai, Japan)

Mechanical properties and deformation behaviour of large $Al_{70}Pd_{20}Mn_{10}$ single quasi-crystals 850
A. Inoue, Y. Yokoyama and T. Masumoto (Sendai, Japan)

Electrical and Magnetic Properties

Ferromagnetism and spin glass in amorphous Fe–Zr alloys 856
M. Yu, Y. Kakehashi (Sapporo, Japan) and H. Tanaka (Kanagawa, Japan)

Magnetic properties of Fe-based icosahedral cluster amorphous alloys 860
K. Fukamichi, T.-H. Chiang, N. Ohashi, N. Kataoka, E. Matsubara, Y. Waseda (Sendai, Japan) and T. Goto (Tokyo, Japan)

Magnetic properties of metastable h.c.p. samarium 864
H. Adachi, K. Kimura and H. Ino (Tokyo, Japan)

Magnetic properties and microstructure of V-and-M-added, Fe_3B-based, Nd–Fe–B nanocrystalline permanent magnets (M ≡ Al, Si) 868
H. Kanekiyo, M. Uehara and S. Hirosawa (Osaka, Japan)

Magnetic properties of Fe–Cu–Nb–Si–B nanocrystalline alloys with low magnetostriction 871
Y. Yoshizawa, Y. Bizen and S. Arakawa (Saitama-ken, Japan)

Magnetic field induced anisotropy in nanocrystalline Fe–Cu–Nb–Si–B alloys. 876
G. Herzer (Hanau, Germany)

Origin of high permeability of nanocrystalline Fe–Cu–Nb–Si–B soft magnetic alloys 880
K.-Y. He, J. Zhi, L.-Z. Cheng and M. L. Sui (Shenyang, China)

Effects of insulation and surface roughness on high frequency magnetic properties up to 10 MHz in thin amorphous ribbons. . . 884
H. Fukunaga, H. Kawaguchi (Nagasaki, Japan), Y. Ohta, H. Kakehashi, H. Ogasawara and M. Fukuhara (Osaka, Japan)

Giant magnetoresistance of Cu–Co–X alloys produced by liquid quenching 888
N. Kataoka, I. J. Kim, H. Takeda, K. Fukamichi and Y. Shimada (Sendai, Japan)

Soft magnetic properties of Co-based heterogeneous amorphous alloys with high electrical resistivity. 892
S. Ohnuma, H. Fujimori, S. Furukawa, F. Matsumoto and T. Masumoto (Sendai, Japan)

High electrical resistivity behaviour of Fe- and Co-based soft magnetic heterogeneous alloys 897
H. Fujimori, S. Mitani, S. Ohnuma, T. Ikeda, T. Shima and T. Masumoto (Sendai, Japan)

Soft magnetic properties of ultrathin Fe-based amorphous alloy cores. 902
T. Sawa and K. Nakagawa (Yokohama, Japan)

Structure and magnetic properties of pulse-plated Fe–P and Fe–Cu–P amorphous alloys 906
K. Kamei and Y. Maehara (Amagasaki, Japan)

d-electron contributions to the positive Hall coefficient of disordered metals 911
M. Itoh, A. Ishida, S. Tanimori (Matsue, Japan) and H. Sato (Kariya, Japan)

Indications of effects of phonon–roton states on electronic transport 916
Chr. Lauinger (Chemnitz, Germany), J. Feld, J. Rimmelspacher (Karlsruhe, Germany) and P. Häussler (Chemnitz, Germany)

Magnetoresistance and superconducting critical magnetic field of amorphous $Al_{90}La_{10}$ and $Al_{90}Y_{10}$ 921
A. Nordström, M. Ahlgren, Ö. Rapp (Stockholm, Sweden) and A. Inoue (Sendai, Japan)

Temperature dependence of thermopower in non-magnetic metallic glasses 926
T. Matsuda, K. Shirai, H. Sato (Aichi, Japan), Y. Yamada and U. Mizutani (Nagoya, Japan)

Photoemission study of electronic structures of Nd–Fe and Nd–Fe–B alloy glasses 932
K. Tanaka, M. Yamada, T. Okamoto, Y. Narita and H. Takaki (Nagoya, Japan)

Curie temperatures for amorphous $TM_{100-X}Gd_X$ ($TM \equiv Fe, Co$; $40 \leqslant X \leqslant 60$) alloys 937
K. Yano (Chiba, Japan), Y. Akiyama, E. Kita (Ibaraki, Japan), H. Ino (Tokyo, Japan) and K. Saitoh (Chiba, Japan)

Spin wave stiffness constant of amorphous $(Co_{1-x}Ni_x)_{75}Si_{10}B_{15}$ alloys. 941
K.-S. Kim, S.-C. Yu (Cheongju, South Korea), W.-Y. Lim, Y.-Y. Kim (Seoul, South Korea), S.-H. Lee and W.-T. Kim (Chongju, South Korea)

Enhancement of Curie temperature in amorphous Co–Y alloys. 946
Y. Kakehashi, M. Yu (Sapporo, Japan) and H. Tanaka (Kanagawa, Japan)

Spin fluctuation in amorphous Y–Ni alloys 950
A. Fujita, T.-H. Chiang, N. Kataoka and K. Fukamichi (Sendai, Japan)

Thermal expansion anomaly in amorphous Y–Fe spin glasses 954
T. Suzuki, A. Fujita, T.-H. Chiang and K. Fukamichi (Sendai, Japan)

Large magnetoelastic effects of amorphous Ce–Fe alloys 958
T.-H. Chiang, H. Komatsu, A. Matsunaga, K. Fukamichi, A. Yoshihara, Y. Shimada (Sendai, Japan) and T. Goto (Tokyo, Japan)

Magnetostriction and coercivity of Fe–Co–RE alloys prepared by a high rate sputtering method 962
T. Shima, N. Kataoka and H. Fujimori (Sendai, Japan)

The relationship between the elastic modulus, resistivity and number of metal–metalloid bonds in Fe–Si–B amorphous alloys . . 966
S. Zhang, C. Qian, Y. Geng (Shenyang, China) and D. Zhang (Wuhan, China)

A study of flash-annealed FeMnSiB amorphous cores. 969
B. Quan (Beijing, China) and K. Narita (Aichi, China)

Effects of induction annealing on the magnetic properties of amorphous alloys 973
M. C. Kim, S. B. Kim, K. S. Lee and J. K. Sung (Pohang, South Korea)

Effects of crystallization on the magnetization dynamics of Vitrovac amorphous ribbons 978
P. Quintana, E. Amano and R. Valenzuela (Mexico, Mexico)

Microstructural relaxation of amorphous alloy $Fe_{79}Si_7B_{14}$ during electropulsing 982
Y. Chao, Z. Lai, K. He and H. Er (Shenyang, China)

Thermal and magnetic properties of amorphous magnetic powders produced by comminution process. 986
C.-L. Tsai (St. Paul, MN, USA)

Precipitation of α-Fe and structure for amorphous $Fe_{74}Cu_1Nb_3Si_xB_{22-x}$ alloys by annealing 992
Y. Ueda, S. Ikeda (Muroran, Japan) and K. Minami (Sagamihara, Japan)

An investigation of magnetic properties of $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloys 997
M. S. Leu, W. K. Wang and S. C. Jang (Hsinchu, Taiwan)

Magneto-volume effect of amorphous Fe–(Co, Cr)–Zr alloys 1001
Z. C. Lu, Z. Xianyu (Shenyang, China), B. G. Shen (Beijing, China) and J. Liu (Shenyang, China)

Effect of C, Al and Si additions on the magnetic properties of melt-spun Nd–Fe–B alloys 1004
P. Choi and H. Ino (Tokyo, Japan)

Crystal structure and magnetic properties of nitrogenated melt-spun Sm_2Fe_{17} compound 1010
C.-J. Yang, W.-Y. Lee and S.-D. Choi (Pohang, South Korea)

Structural and magnetic properties of rapidly quenched $(Sm_{1-x}Dy_x)_2Fe_{17}C_y$ 1016
P. A. P. Wendhausen, B.-P. Hu, A. Handstein, D. Eckert, B. Gebel, K.-H. Müller (Dresden, Germany), H. R. Kirchmayr and O. Mayerhofer (Vienna, Austria)

Sputtered Fe–Hf–O films with high electrical resistivity and good soft magnetic properties 1020
A. Makino and Y. Hayakawa (Nagaoka, Japan)

Soft magnetic properties of fine crystalline Fe–BN and Fe–BN–O films 1025
S. Furukawa, S. Ohnuma, F. Matsumoto, H. Fujimori and T. Masumoto (Sendai, Japan)

Composite anisotropy multilayers based on amorphous $CoNbZr/SiO_2$ 1030
E. Sugawara, Y. Shimada, H. Fujimori, Y. Inokoshi, K. Yamaguchi, F. Matsumoto and T. Masumoto (Sendai, Japan)

Electrical resistivity and thermoelectric power of $Fe_{91}Zr_9$ 1035
Y. S. Choi, S. S. Choi, Y. W. Park (Seoul, South Korea), M. Hirscher and H. Kronmüller (Stuttgart, Germany)

Softening of phonon density of states in Fe-based amorphous Invar alloys. 1040
Z. Xianyu, Z. C. Lu (Shenyang, China), J. Z. Li, C. T. Ye, Z. Q. Li, J. Kang and B. G. Shen (Beijing, China)

Theoretical study of dynamical properties of binary metallic glasses in the harmonic approximation 1043
H. Sato (Kariya, Japan), S. Tanimori, A. Ishida and M. Itoh (Matsue, Japan)

Electronic structure and electron transport properties of amorphous Ca–Al–Ga and Ca–Mg–Ga alloys 1047
Z. Diao, Y. Yamada, T. Fukunaga (Nagoya, Japan), T. Matsuda (Aichi, Japan) and U. Mizutani (Nagoya, Japan)

High T_c $YBa_2Cu_3O_{7-\delta}$ superconductors made by the melt-quench growth process 1051
M. Akinaga (Fukuoka, Japan)

Do electrons stabilize the metastable state of undercooled metallic melts? 1055
R. Kouba, D. M. Herlach (Cologne, Germany), P. Häussler (Chemnitz, Germany) and G. Dietz (Cologne, Germany)

Mechanical Properties

The inelastic property of amorphous $Cu_{50}Zr_{50}$ 1060
H. Mizubayashi, M. Kaida, S. Otsuka and S. Okuda (Ibaraki, Japan)

Deformation characteristics of a superplastic aluminium alloy produced from amorphous powders. 1064
K. Higashi, T. Mukai, S. Tanimura (Osaka, Japan), A. Inoue, T. Masumoto (Sendai, Japan), A. Uoya and K. Ohtera (Kurobe, Japan)

Thermomechanical processing and superplastic behavior in aluminium-based alloys produced from amorphous or nanocrystalline powders 1068
K. Higashi (Osaka, Japan), A. Uoya (Kurobe, Japan), T. Mukai, S. Tanimura (Osaka, Japan), A. Inoue, T. Masumoto (Sendai, Japan) and K. Ohtera (Kurobe, Japan)

Formation of non-equilibrium b.c.c. phase with high tensile strength in Ni–Al–Zr system by rapid solidification 1072
A. Inoue, K. Honma and T. Masumoto (Sendai, Japan)

Mechanical damping of rapidly quenched Ti–Ni–Cu alloys 1076
Y. Furuya, H. Kimura and T. Masumoto (Sendai, Japan)

Chemical Properties

Amorphous alloy electrodes for anodic oxidation of sulfite 1081
T. Mori, E. Akiyama, H. Habazaki, A. Kawashima, K. Asami and K. Hashimotρ (Sendai, Japan)

Mechanically driven CO hydrogenation over NiZr amorphous catalysts 1085
G. Mulas, L. Conti, G. Scano, L. Schiffini and G. Cocco (Sassari, Italy)

Amorphous alloy catalysts for decomposition of CCl_2F_2 by hydrolysis 1091
K. Ebidzuka, H. Habazaki, E. Akiyama, A. Kawashima, K. Asami and K. Hashimoto (Sendai, Japan)

Dehydration of 2-propanol over Cu–Ti metallic glasses: effect of pretreatments and reaction on the structure and surface properties 1095
T. Katona, A. Molnár and M. Bartók (Szeged, Hungary)

New amorphous alloys resistant to high temperature corrosion 1099
H. Habazaki, K. Takahiro, S. Yamaguchi, K. Hashimoto (Sendai, Japan), J. Dabek, S. Mrowec and M. Danielewski (Krakow, Poland)

Oxidation resistance of rapidly solidified Fe–Cr–Al ribbons at high temperature 1104
S. Okabe, M. Kohno, K. Ishii, M. Yukumoto and T. Nozaki (Chiba, Japan)

Corrosion behavior of sputter-deposited Co-base alloy films in neutral solutions 1109
A. Kawashima, H. Habazaki, K. Asami, K. Hashimoto (Sendai, Japan), H. Murata, K. Ichikawa, S. Fujii and T. Shinohara (Tsuchiura, Japan)

Highly corrosion-resistant amorphous Cr–Ni–P alloys 1114
B.-P. Zhang, E. Akiyama, H. Habazaki, A. Kawashima, K. Asami and K. Hashimoto (Sendai, Japan)

Effect of phosphorus on the passivation behavior of amorphous Fe–8Cr–13P–7C alloy in 9M H_2SO_4 solution 1119
B.-M. Im, E. Akiyama, H. Habazaki, A. Kawashima, K. Asami and K. Hashimoto (Sendai, Japan)

Nitrogen monoxide decomposition catalysts prepared from amorphous Ni–valve metal–Pd alloys 1123
M. Komori, H. Habazaki, E. Akiyama, A. Kawashima, K. Asami and K. Hashimoto (Sendai, Japan)

The corrosion behaviour of sputter-deposited amorphous Ni–Ti alloys in 1 M HCl. 1128
E. Akiyama, H. Habazaki, A. Kawashima, K. Asami and K. Hashimoto (Sendai, Japan)

Amorphous Fe–valve metal–Pt group metal alloy catalysts for methanation of CO_2. 1133
T. Tada, H. Habazaki, E. Akiyama, A. Kawashima, K. Asami and K. Hashimoto (Sendai, Japan)

Amorphous Ni–Nb–Pt alloy catalysts for electro-oxidation of ethylene 1137
K. Takamura (Tokyo, Japan), H. Habazaki, A. Kawashima, K. Asami and K. Hashimoto (Sendai, Japan)

Electrochemical behavior of a quasi-crystalline Al–Pd–Mn alloy in a chloride-containing solution 1141
K. Asami, A.-P. Tsai and K. Hashimoto (Sendai, Japan)

Electrocatalytic behavior of non-equilibrium b.c.c. nickel 1145
T. Benameur (Sendai, Japan), R. Yavari and R. Durand (St Martin d'Hères, France)

Processing of Advanced Materials

Rapid dendritic and eutectic solidification of undercooled Co–Mo alloys 1150
B. Wei, D. M. Herlach (Cologne, Germany), F. Sommer (Stuttgart, Germany) and W. Kurz (Lausanne, Switzerland)

Microstructural evolution in rapidly solidified Al–4mass%Fe droplet 1156
S.-G. Kim (Kunsan, South Korea), S.-H. Shin (Changwon, South Korea), T. Suzuki and T. Umeda (Tokyo, Japan)

Production of flaky Fe-based amorphous powders by a two-stage quenching technique and their magnetic properties 1161
M. Oguchi, Y. Harakawa (Okaya, Japan), A. Inoue and T. Masumoto (Sendai, Japan)

Fabrication of bulk amorphous alloy by rolling of mechanically alloyed Al–Cr powders. 1165
K. Uenishi and K. F. Kobayashi (Osaka, Japan)

Transmission electron microscopy characterization of mechanically alloyed NiAl powder and hot-pressed product 1169
S. G. Pyo, N. J. Kim and P. Nash (Pohang, South Korea)

Consolidation mechanism of aluminum-based amorphous alloy powders during warm extrusion 1174
Y. Kawamura, A. Inoue, K. Sasamori and T. Masumoto (Sendai, Japan)

Morphology and properties of ultrafine Ni–Fe and Ni–Co alloy particles prepared by leaching amorphous Al–Ni–Fe–Ce and Al–Ni–Co–Ce alloys 1179
M. Uzawa, A. Inoue and T. Masumoto (Sendai, Japan)

Metastable b.c.c. and amorphous Ni produced by mechanical alloying and chemical leaching 1184
S. A. Makhlouf, K. Sumiyama, E. Ivanov, H. Yamauchi, T. Hihara and K. Suzuki (Sendai, Japan)

Formation of new phases by chemical leaching of rapidly solidified alloys 1190
I. Ohnaka and I. Yamauchi (Suita, Japan)

Analysis of solidification in the spray atomization process 1195
V. Erukhimovitch and J. Baram (Beer-Sheva, Israel)

A new phase in Al–Ni–Ti alloys made from mechanically alloyed powders 1202
J. G. Cabañas-Moreno (Mexico, Mexico), T. Itsukaichi and M. Umemoto (Toyohashi, Japan)

Formation of amorphous and metastable phases from the σ phase by ball milling 1207
H. Yang and H. Bakker (Amsterdam, Netherlands)

Phase evolution and formation process of compound during ball milling of Ti–Si powder mixtures 1212
Y. H. Park, H. Hashimoto and R. Watanabe (Sendai, Japan)

Mechanical alloying in the Fe–Al system 1217
D. Oleszak (Warsaw, Poland) and P. H. Shingu (Kyoto, Japan)

Amorphization of silicon and germanium by mechanical grinding: effect of atmosphere and milling conditions 1222
P. Millet and A. Calka (Canberra, ACT, Australia)

Comparison of the transformation sequence from γ-AlOOH (boehmite) to α-Al_2O_3 (corundum) induced by heating and by ball milling. 1227
A. Tonejc, A. M. Tonejc, D. Bagović and C. Kosanović (Zagreb, Croatia)

Microstructural studies of Nd–Fe–B powders produced by gas atomization. 1232
Y. Sakaguchi, T. Harada and T. Kuji (Saitama, Japan)

Theoretical expectation of strip thickness in planar flow casting process 1237
J. K. Sung, M. C. Kim, C. G. Park and Y. S. Kim (Kyung-Buk, South Korea)

Morphology of melt-spun silicon alloy ribbons 1243
K. Forwald (Kristiansand, Norway) and L. Arnberg (Trondheim, Norway)

Distribution of elements in the surface layer of amorphous Al–La–Ni ribbons 1249
A. Berner, A. Katsman, L. Klinger, L. Levin and V. Manov (Haifa, Israel)

Amorphization of Al–Cr atomized powder by mechanical grinding. 1253
K. F. Kobayashi and H. Kawaguchi (Osaka, Japan)

Mechanical alloying in the Co–Sn system 1258
V. M. López Hirata, F. Martínez Suárez and J. G. Cabañas-Moreno (Mexico, Mexico)

Amorphization of Ti–Zr powders by mechanical alloying in H_2, N_2 and O_2 atmospheres 1263
K. Aoki, A. Memezawa and T. Masumoto (Sendai, Japan)

Non-equilibrium phase formation and valence fluctuation in immiscible Ce–Yb alloys produced by mechanical milling and sputtering 1268
K. Sumiyama, K. Yanai, E. Ivanov, H. Yamauchi and K. Suzuki (Sendai, Japan)

Martensitic transformation of mechanically ground γ'-Fe_4N 1272
K.-J. Kim, K. Sumiyama, K. Shibata and K. Suzuki (Sendai, Japan)

Magnetic properties of Fe–V powders produced by mechanical alloying 1277
T. Koyano, K. Chatani, T. Fukunaga and U. Mizutani (Aichi, Japan)

Amorphization in iron–carbon systems with transition metals by mechanical alloying. 1281
K. Omuro, H. Miura and H. Ogawa (Amagasaki, Japan)

Preparation of Fe–Ni based metal–metalloid amorphous powders by mechanical alloying 1285
S. Suriñach, J. J. Suñol and M. D. Baró (Barcelona, Spain)

Mechanical alloying process of metal–B (M ≡ Ti, Zr) powder mixture 1291
Y. H. Park, H. Hashimoto, T. Abe and R. Watanabe (Sendai, Japan)

Degree of amorphization of mechanically alloyed $Fe_{77.5}B_{15}Si_{7.5}$ powders determined by magnetic measurements 1296
N. Kunitomi (Hiroshima, Japan)

Functionally graded Al–Zr-based amorphous alloys 1300
H. Yamagata (Kurobe, Japan), A. Inoue and T. Masumoto (Sendai, Japan)

Microstructural effects of ultrasonic vibrations applied during planar flow casting of steels 1305
F. Guyon and A. R. Yavari (St-Martin-d'Hères, France)

New casting technique for a wide ribbon in a single-roller process. 1310
Y. Sato and M. Yamate (Chiba, Japan)

Crystallinity of rapidly solidified Ti–Ni–Cu alloy 1317
M. Matsumoto, D. Shindo, Y. Furuya, K. Aoki and T. Masumoto (Sendai, Japan)

Microstructural variation in rapidly solidified ribbons of Ag–Cu and Cu–Mn alloys. 1320
M. Haddad-Sabzevar and H. Fredriksson (Stockholm, Sweden)

Numerical simulation of cluster growth during the transient nucleation period, for nucleation temperature evaluation in melt spinning 1326
Z. Rivlin and J. Baram (Beer-Sheva, Israel)

Structural changes in B2 CoZr compound during amorphization process by mechanical milling 1330
T. Nasu, K. Nagaoka (Yamagata, Japan), C. C. Koch, Y. Cho (Raleigh, NC, USA), M. Sakurai and K. Suzuki (Sendai, Japan)

Enhanced heterogeneous nucleation of α-Al in amorphous aluminium alloys 1335
P. Schumacher and A. L. Greer (Cambridge, UK)

Industrial Applications

Optimum chemical composition for high strength in Fe–Ni–Cr–Si–C wires produced by melt spinning into rotating water 1340
S. Ueno (Kyoto, Japan), A. Inoue (Sendai, Japan), H. Tomioka (Kyoto, Japan) and T. Masumoto (Sendai, Japan)

Method for suppressing surface crystallization in Fe-base amorphous alloy ribbons containing Al 1346
T. Sato, T. Yamada and M. Fujikura (Kawasaki, Japan)

Improvement of magnetic properties by addition of tin to amorphous Fe–Si–B alloys with high iron contents 1351
M. Fujikura, T. Yamada and T. Sato (Kawasaki, Japan)

Characteristics of MnAlC rapidly solidified powders 1355
A. Yanagitani, A. Okawa and Y. Tanaka (Himeji, Japan)

Characteristics of an amorphous magnetic alloy layer prepared by laser quenching, and its application to a torque sensor 1359
F. Hirose, M. Takagi, H. Mori and T. Imura (Aichi, Japan)

Energy transferring system for totally implantable medical devices using amorphous magnetic fibers 1363
H. Matsuki, T. Matsuzaki and A. Suzuki (Sendai, Japan)

Temperature-sensitive amorphous magnetic flakes for intratissue hyperthermia. 1366
H. Matsuki, T. Yanada (Sendai, Japan), T. Sato (Fukushima, Japan), K. Murakami (Hachinohe, Japan) and S. Minakawa (Kumagaya, Japan)

Quick-response and sensitive magnetic field sensor using a 200 MHz resonant field effect transistor multivibrator with amorphous wire magnetoinductive elements 1369
Y. Yoshida (Kitakyushu, Japan), K. Mohri (Nagoya, Japan), J. Yamasaki (Kitakyushu, Japan), T. Uchiyama and H. Yoshida (Nagoya, Japan)

Improved longitudinal magnetic shielding by an amorphous Fe–Si steel composite panel 1374
Y. Okazaki and H. Mogi (Chiba, Japan)

Torque sensor using amorphous magnetostrictive ribbons 1378
H. Hase, R. Shoji and M. Wakamiya (Osaka, Japan)

Production of flaky Cu-based amorphous powders by a two-stage quenching technique, and their chemical and optical properties 1383
H. Yamaguchi, M. Oguchi, Y. Harakawa (Okaya, Japan), A. Inoue and T. Masumoto (Sendai, Japan)

Amorphous and quasi-crystalline phases in rapidly solidified Mg–Al–Zn alloys 1387
A. Niikura, A.-P. Tsai, N. Nishiyama, A. Inoue and T. Masumoto (Sendai, Japan)

Lamellar eutectics: a comparison of three models valid at high growth rates. 1392
A. Zryd, M. Gremaud and W. Kurz (Lausanne, Switzerland)

Additional Papers

New metastable phases in rapidly solidified Al–Zr and Al–Ti alloys with high solute contents 1397
J. Q. Guo, K. Ohtera, K. Kita, T. Shibata (Kawasaki, Japan), A. Inoue and T. Masumoto (Sendai, Japan)

Structural characteristics of a nanocrystalline Fe–Cu–Nb–Si–B soft magnetic alloy 1405
M. L. Sui, K. Y. He, L. Y. Xiong, Y. Liu and J. Zhu (Shenyang, China)

Structures and properties of rapidly solidified Mg–Ca based alloys 1410
T. Miyazaki, J. Kaneko and M. Sugamata (Chiba, Japan)

On the nature of the remaining amorphous matrix after nanocrystallization of $Fe_{77}Si_{14}B_9$ with Cu and Nb addition 1415
A. R. Yavari, G. Fish, S. K. Das and L. A. Davis (Morristown, NJ, USA)

Nucleation and growth characteristics of amorphous Fe–Si–B–(Cu)–(Nb) alloys during isothermal crystallization process 1419
F. Zhou, K.-Y. He, M.-L. Sui and Z.-H. Lai (Shenyang, China)

Amorphous (Ti, Zr, Hf)–Ni–Cu ternary alloys with a wide supercooled liquid region 1423
T. Zhang, A. Inoue and T. Masumoto (Sendai, Japan)

Crystallization kinetics and specific heat of $Cu_{60}Zr_{40}$ glassy alloy 1427
G. D. Ladiwala, N. S. Saxena, S. R. Joshi, A. Pratap and M. P. Saksena (Jaipur, India)

Rapid quenching forming routes for superconducting oxide wire 1431
W. E. Brower, Jr., H. A. Holla and S. V. Golub (Milwaukee, WI, USA)

Production and magnetic properties of Fe–B–Si amorphous alloy ribbons: a review. 1435
K. Shibuya (Chiba, Japan)

AUTHOR INDEX 1441

SUBJECT INDEX 1445